

The Brave New Old World of Design Automation Research

Ralph K. Cavin III

William H. Joyner, Jr.

Walden C. Rhines

Semiconductor Research Corporation

Semiconductor Research Corporation

Mentor Graphics Corporation

National Science Foundation Workshop on
Electronic Design Automation – Past, Present, and Future

July 8, 2009

Arlington, Virginia




The Brave New Old World of Design Automation Research

“Community, Identity, Stability”

– Aldous Huxley, *Brave New World*, 1932

- A **community** of experts from industry and universities, representing multiple disciplines
- Renewed **identity** as an exciting research area
- **Stability** of support for research and education




The Brave New Old World of Design Automation Research

- What's old
- What happened
- What's new
- What next

What's Old




Old “Waterfall” Chart




Software

Old “Waterfall” Chart



EDA

Old “Productivity Gap” Chart



Source:
various attributions

Old “Superexponential” Chart


Superexponential Design Complexity



- ✓ Exponentially growing number of elements (devices & wires)
- ✓ Design complexity is exponential function of element count

Old “Wilting Rod” Chart


Difficulty of Sustaining Design Productivity



Old “Quadruple Whammy” Chart

“Quadruple Whammy” for Design and Tools

- ◆ Design of each transistor and wires harder
- ◆ Exponentially more transistors
- ◆ More elements doing different things
- ◆ Greater design risk, greater variety, and smaller design window




Source: Kurt Keutzer
20th century



Tall Thin Designers

INTRODUCTION TO **VLSI** SYSTEMS


CARVER MEAD • LYNN CONWAY





Tall Thin Designers



Short Thin Designers



Tall Fat Designers



Foundations of Computer Science

FOCS 2008

1/78 in circuit and logic design/minimization

FOCS 1960, 1961

30/33 in circuit and logic design/minimization
Muroga, Akers, Roth, McCluskey, Karp, . . .



FOCS 2009

50th Annual IEEE Symposium on
Foundations of Computer Science

October 24-27, 2009
Atlanta, GA



Examples of the research articles in semiconductors that resulted in Nobel Prizes

Article	Nobel Prize		# of citations	
	in:	for:	25 years from publication	through 2008
Bardeen J, Brattain WH "The Transistor, a Semi-conductor Triode", Phys. Rev. 74 (2): 230-231 1948	1956	Discovery of semiconductor transistor	71	235
Esaki L, "New Phenomenon in Narrow Germanium p-n Junctions", Phys. Rev. 109 (1958) 603	1973	Discovery of tunnel diode	247	547
Kroemer H, "Heterostructure Bipolar-transistors and Integrated-circuits", Proc. of the IEEE 70 (1982) 13	2000	Invention of heterojunctions	577	609

Source: Victor Zhirnov, SRC


Publication Lifetime*

Example: Design/CADTS

“Asymptotic Waveform Evaluation for Timing Analysis”, by Pileggi and Rohrer, IEEE Trans. Computer-Aided Design 9 (4)352 (1990)

677 citations

188 citations by industry (28%)



*Average lifetime is 5 years

Source: Victor Zhirnov, SRC


Publication Lifetime*

Example: Design/CADTS

“Graph-based Algorithms for Boolean Function Manipulation” by R. E. Bryant, IEEE Trans. Computers 35 (8): 677 (1986)

1443 citations

283 citations by industry (25%)



*Average lifetime is 5 years

Source: Victor Zhirnov, SRC

What Happened



NSF 2006 Forum on
Future Directions in Design Automation Research



SRC/NSF Forum



- Held October 30-31, 2006, at NSF in Arlington, Virginia

- Leading researchers and engineers assembled:
 - 12 faculty from leading universities
 - 11 industry researchers
 - 8 NSF participants

- Panels, presentations helped develop findings



Attendees



- | | | | |
|---------------------|-----------|---------------------|-----------|
| ▪ Arvind | MIT | ▪ Luigi Capodiecici | AMD |
| ▪ Tim Cheng | UCSB | ▪ Ameesh Desai | LSI Logic |
| ▪ Jason Cong | UCLA | ▪ Andreas Kuehlmann | Cadence |
| ▪ Hugo DeMan | Leuven | ▪ David Kung | IBM |
| ▪ John Hayes | Michigan | ▪ Jeff Parkhurst | Intel |
| ▪ Mark Horowitz | Stanford | ▪ Juan Rey | Mentor |
| ▪ Sharad Malik | Princeton | ▪ David Yeh | TI |
| ▪ Steve Nash | GMU | | |
| ▪ Rob Rutenbar | CMU | ▪ Sankar Basu | NSF |
| ▪ Sachin Sapatnekar | Minnesota | ▪ Tony Chan | NSF |
| ▪ Ken Shepard | Columbia | ▪ Mike Foster | NSF |
| ▪ Jacob White | MIT | ▪ Peter Freeman | NSF |
| | | ▪ Larry Goldberg | NSF |
| ▪ Ralph Cavin | SRC | ▪ Peter March | NSF |
| ▪ Steve Hillenius | SRC | ▪ Usha Varshney | NSF |
| ▪ William Joyner | SRC | | |
| ▪ Jeff Welser | SRC | | |



Three Grand Challenges in Design Automation



Challenges in design automation are many, but they can be grouped into three areas:


- **System-level design** is needed at the top to increase the productivity of designers – otherwise efficient use cannot be made of advanced devices and materials
- **Robust optimization** in the middle is necessary to contain the exploding complexity of systems and to offset the diminishing returns afforded by feature size shrinkage
- **Design for manufacturing** at the back end (and throughout the flow) is critical to assure that we can produce products using new technologies

Models and **abstractions** are key at all levels of the design process


Source: 2006 Forum 22

- **System level** techniques are needed to achieve shorter design times with higher quality to address system level problems: clock, power management, interconnection, fault tolerance, ...
- Design tools must extend to where design is going, including the **software level**
- A **compositional method** of designing and connecting modules such that the functionality and performance are predictable is needed; it must be aware of implementability, verification, test, and reliability
- A design flow and methodology must enable more sophisticated handoffs; a **collaborative framework** must focus on the interfaces between abstraction levels to allow stable robust, reusable design IP
- We must be able to implement **hybrid systems** efficiently - model, explore, design, optimize, and integrate non-digital functionality (MEMS, NEMS, analog/RF, sensors/transducers, photonics, biological, ...)

- Expansion of traditional RTL-to-layout DA support
 - Upwards: System specification, transaction level modeling, behavioral synthesis
 - Downwards: RET, OPC, yield optimization through post-layout manipulations, etc.
 - In between: more and more complex optimizations



Most of Design Automation Today Focuses on the "Middle"



*Source: Andreas Kuehlmann
2006 Forum*



Optimization Challenges



- Optimization algorithms must be what many of today's design automation techniques are not: **stable, scalable, and robust**
- Design automation must **leverage optimization technology** – casting problems in optimization terms opens a new resource of partnerships in cross-disciplinary research that can lead to better optimization engines
- Optimization algorithms need to handle **multiple objectives** simultaneously to address critical power, variability, manufacturability,
- Techniques must **globally optimize performance** across layers of abstraction and diverse technologies



- Design for manufacturing must move from handling variability to **robust operation in the face of failures** from multiple sources
- Design tools must **comprehend multiple options** associated with new devices, new materials, fabrics and 3D stacking
- Communication between layout/design must go beyond sets of rules to **process/manufacturing understanding at all levels.**
- Tools must comprehend **hybrid devices** and **materials** as well as **emerging nontraditional applications** (bio, sensor, medical, etc.)
- Design techniques addressing these **late-CMOS technology challenges** must bridge to beyond-CMOS nanotechnologies as well

- Since design automation is critical to advancing our computing capability for the 21st century:
 - NSF should support a **collaborative platform** for design automation research pushing towards beyond-CMOS technologies
 - NSF must establish and support multidisciplinary **partnerships** to enable the design technology work necessary for 21st century leadership:
 - ✓ enabling **system-level design** in partnership with the software and architecture areas
 - ✓ with larger-scale, more robust **optimization** to provide more complex systems and keep on Moore's Law pace
 - ✓ at the **nanoscale** to take design technology from novel devices to system-level applications



Why Should NSF Worry about Design Technology?



- **Design will be a key differentiator for US competitiveness and national security.**
 - US must have the most productive designers
 - Design costs dominate – they need to be dramatically reduced in terms of team size, design time, etc. to maintain US lead
- **National support for design research is diminishing in US, increasing elsewhere.**
 - China, Europe, Taiwan, and Canada all support university-based design research infrastructure
 - National strategy in design needs to match national investment in materials and technologies
 - Education funding must help supply trained scientists and engineers
- **Moore's Law is a critical enabler for advances in computing and its future depends on design**
 - Materials and process technology alone cannot keep us on the Moore's Law curve.
 - Advanced applications – DNA sequencing, astrophysics, cryptography – rest on this computational foundation

The 2006 Forum – A Report Card

A National Design Initiative (NDI)

INC

System design science

INC

Robust optimization methodologies

B

Interface to manufacturing

B

Collaborative research framework:

INC

Access to leading edge fabrication technologies

C

A computational discovery environment

?

Opportunities for design of innovative integrated electronic systems

INC

\$50M per year for five years through a cross-directorate initiative by NSF

INC

What's New




What's New (Well, Not Really New)

- New emphasis on parallelism
- New ITRS design and software emphasis
- New focus on applications
- New post-CMOS technologies
- New (old) predictions about the death of EDA

The Sequential Peril

Cores not faster +
no parallel improvement
→ SW not faster
→ no new PC sales
except for wearout
→ sales drop 250M
↓
50M



Source: Dave Patterson, SRC, 2004

SRC/NSF Joint Program on Multicore Design and Architecture

- Joint needs development, solicitation, and selection of projects in multi-core architecture, design, tools, and interconnect
- \$10M, 3-year program
- 28 new tasks from 27 universities with 43 faculty (including 17 new investigators and 7 former SRC students) selected for 8/09 starts




New Emphases in 2008 ITRS

- Importance of **software as an integral part of semiconductor products**
- **Software design productivity** as a key driver of overall design productivity
- Heavy use of special purpose **multi-core architectures** as a key enabler of productivity growth
- Continued emphasis on **system-level design**
- Special section on **energy**
- New term ***Design Equivalent Scaling*** refers to design technologies that enable high performance, low power, high reliability, low cost, and high design productivity.



International Technology Roadmap for Semiconductors

Compelling Laptop/Handheld Apps



■ Health Coach

- Since laptop/handheld always with you, Record images of all meals, weigh plate before and after, analyze calories consumed so far
 - “What if I order a pizza for my next meal? A salad?”
- Since laptop/handheld always with you, record amount of exercise so far, show how body would look if maintain this exercise and diet pattern next 3 months
 - “What would I look like if I regularly run 2 miles? 4 miles?”




■ Face Recognizer/Name Whisperer

- Laptop/handheld scans faces, matches image database, whispers name in ear (relies on Content Based Image Retrieval)



Source: Dave Patterson, SRC, 2004



Source: Rob Rutenbar

Ultimate Measures of Success . . .



For the **technologist**:

I/V curve in *Nature*

(Rob Rutenbar, 2004)

For the **circuit designer**:

Best Paper Award at ISSCC

Algorithms, Coding, Logic, Architectures, Applications



Key question: Will the behavior of nanodevices be so strange that our “higher level” abstractions need to change?

Key answers:

NO, a switch is a switch



YES, that’s the whole idea






Architecture Benchmarking Exercise

Magnetic Tunnel Junction	Markovic	UCLA	WIN
Spin Wave Devices	Khitun	UCLA	WIN
Mag Dot Logic	Roychowdhury	UCLA	WIN
BiSFET	Register	UT	SWAN
Graphene Veselago Devices	Lee	SUNY	INDEX
Excitons	Baldo	MIT	INDEX
Magnetic Rings	Ross	MIT	INDEX
Tunnel FETs	Seabaugh	ND	MIND
Nanomagnet logic	Niemier	ND	MIND
Plasmonic logic	Mazumder	Michigan	MIND
Graphene thermal logic	Chen	Purdue	MIND
Graphene spin transport	Ye	Purdue	MIND
Binary Decision Diagram Arch	Datta	PSU	MIND
Multiferroic based devices	Salahuddin	UCB	WIN

EDA Myths and Realities in 2009

- EDA is ~~growing~~ ~~entering~~ ~~opportunities~~ ~~phase~~ from solving new problems
- Adoption of ~~new~~ ~~technology~~ ~~is~~ ~~slowing~~ or technology is the same rate as in the past
- ~~Once~~ ~~an~~ ~~EDA~~ ~~market~~ ~~stabilizes~~ ~~essential~~ ~~dis~~ ~~comparities~~ ~~are~~ ~~open~~ ~~opportunities~~ for market share changes
- ~~EDA~~ ~~costs~~ ~~are~~ ~~decreasing~~ ~~at~~ ~~the~~ ~~same~~ ~~rate~~ ~~as~~ ~~EDA~~ ~~semiconductor~~ ~~manufacturing~~ ~~cost~~
- Companies ~~are~~ ~~indicating~~ ~~by~~ ~~moving~~ ~~to~~ ~~work~~ ~~as~~ ~~single~~ ~~design~~ ~~sub-~~ ~~flows~~ ~~platforms~~
- Semiconductor industry ~~is~~ ~~consolidating~~ ~~consolidating~~

New Methodologies Drive EDA Revenue Growth



EDAC Market Statistics Service

* DFM Includes DFM, RET, Mask Data Prep & TCAD



Source: Wally Rhines, DesignCon 2009

What Next




National Science Foundation Workshop on
Electronic Design Automation – Past, Present, and Future
July 8-9, 2009

What Next – This Workshop

- A **community** of experts from industry and universities, representing multiple disciplines
- Renewed **identity** as an exciting research area
- **Stability** of support for research and education

The Food Pyramid



What Next – This Workshop

- Strengthen the links between theory of computation and design automation
- Maintain strong industry/university/government partnerships
- Grow support for design and design automation as increasingly important contributors to the roadmap forward